

Web Images Videos Maps News Shopping Gmail more ▾

Search settings | Sign in



+identify +meta tag +metadata +tag +entry +"semantic object" +access

Web Show options...

Results 1 - 33 of 33 for +identify +meta tag +metadata +tag

Tip: Save time by hitting the return key instead of clicking on "search"

[Task computing - Patent Application 20050246726](#)

The smart **tag** feature highlights text in the current document while using an ... for and it returns a hard-wired task associated with this type of **entry**. **semantic object** instances and/or SSDs 116 used in Task Computing 100 as The **network** connection for Web **access**, while performing Task Computing on a ...

www.freepatentsonline.com/y2005/0246726.html - [Similar](#)
by Y Labrou - 2005 - [Related articles](#)

[System and method for semantic knowledge retrieval, management ...](#)

This can be "targetentries," in which case the **tag** includes sub-**tags** ... [0825] MetadataEntry—this indicates the details of a **metadata entry**. [0877] The CopyObject method copies the **semantic object** to the clipboard as an SQLML The KIS employs a **policy** of "default **access**." Default **access** here means that ...

www.freepatentsonline.com/y2004/0230572.html - [Similar](#)
by N Omoigui - 2004 - [All 7 versions](#)

[\(WO/2004/075466\) SEMANTIC KNOWLEDGE RETRIEVAL MANAGEMENT AND ...](#)

Repeat the steps above for the title of the object and other **meta-tags** as appropriate MetadataEntry-this indicates the details of a **metadata entry**. CopyObject INTRODUCTION The CopyObject method copies the **semantic object** to the **Access** Control a. **Access** Control **Policy** In the preferred embodiment, ...

www.wipo.int/pctdb/en/wo.jsp?1A=US2004004674... - [Cached](#) - [Similar](#)

[Second International Semantic Web Conference \(ISWC 2003\)](#)

access and the presentation, and **Metadata** to make resource descriptions available to machine in a a semantic **network** can be easily referenced, and condi- The **Semantic Object Web**: An Object-Centric Approach to Knowledge A HTML **META tag** in the homepage points to the owner's profile in DAML. ...

iswc2003.semanticweb.org/pdf/ISWC2003Posters&Demos.pdf - [Similar](#)

[\[PDF\] Semantic Integration Workshop \(SI-2003\)](#)

File Format: PDF/Adobe Acrobat

tions for each mapping **rule**. However, each mapping **rule** and its semantic conditions have to be cific **network access** channels (e.g. wireless networks) and **identify** data sources, we created **metadata** files for each data set. We explicitly **tag** elements of the models with labels indicating relative ...

iswc2003.semanticweb.org/pdf/SI2003-Proceedings.pdf - [Similar](#)

[Downloaded form http://www.laynetworks.com : solutions@laynetworks ...](http://www.laynetworks.com : solutions@laynetworks ...)

Blog Beginning **Tag**: A one octet field of the CPCS_PDU used in conjunction with the Etag Clients run client software to provide **network access**. **Metadata** Data definitions describing aspects of the actual data items, with only two endpoints. **policy** A **rule** that an administrator places on the system, ...

www.laynetworks.com/download/all.txt - [Cached](#) - [Similar](#)

[\[PDF\] Consumer Distributed File Systems](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This information is stored as **metadata** within each file (in the ID3 **tag** devices that share a common view of the file system over a local **network**. ins with **access** to specified memory regions and allowed function **entry** points **semantic object** storage for the home. Tech. Rep. CMU-PDL-06-103, Carnegie ...

deepblue.lib.umich.edu/bitstream/2027.42/62353/1/dpeek_1.pdf - [Similar](#)

by DN Peek - 2009 - [Related articles](#)

[\[PDF\] KSCO-2002 Proceedings](#)

File Format: PDF/Adobe Acrobat

external **rule** firing or an intervention) that contradicts an existing token (i.e. **Semantic Object Web**, as tools to deliver both information **access** and XML and derivative **tag**-language based interoperability is becoming a de facto ... **metadata** for both unstructured sources (such as analysis reports) and ...

handle.dtic.mil/100.2/ADA402533 - [Similar](#)

[\[PDF\] National Building Information Modeling Standard Version 1 - Part 1 ...](#)

File Format: PDF/Adobe Acrobat

method NBIMS plans to use to **identify** and build Tier 1 exchange **Metadata** concerning who entered the information into the BIM and the level of within the definition of an individual **semantic object** (being either a product buildings) and facilities to **tag** all information with a globally unique ID ...

www.wbdg.org/pdfs/NBIMSv1_p1.pdf - [Similar](#)

[PDF] PRT Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

properties with respect to personalization and **meta**-data handling. The generic registry **tag** in the portalapp.xml is a suitable place to declare a default event handler. convert the persistenceObject to a **semantic object**

The goal of this chapter is to focus on how to **identify** and **access** to the ...

<https://www2.avispublics.duparisien.com/irj/.../com.../prtguide60.pdf> - [Similar](#)

SEATTLE, WA, US - Patents

20090219137 Variable frequency **tag** - antenna assembly is operative for receiving 20090192976 METHODS AND SYSTEMS FOR CREATING A **SEMANTIC OBJECT** 07-30-2009 20090012992 Digital Content **Metadata** Registry Systems and Methods 01-08-2009 20080209504 GENERALIZED **NETWORK SECURITY POLICY** TEMPLATES FOR ...

www.faq.s.org/patents/city/us_wa_seattle - [Cached](#) - [Similar](#)

[PDF] Consolidated Comments

File Format: PDF/Adobe Acrobat

semantic object model standard, does address combined heat and The next steps in the interim report suggest that NIST evaluate **policy** and regulatory The AMI industry is developing U-SNAP (Utility Smart **Network Access** Port However, EEI encourages NIST to **identify** more use cases and to bring the ...

www.nist.gov/smartgrid/ConsolidatedComments.pdf - [Similar](#)

dictionary of information science and technology [idea group 2007]

Access Network: See Local **Network**. **Access** Board Standards **Tag** An active **tag** is powered by its own battery, and it can transmit its ID and related An attention object often represents a **semantic object**, such and so forth. A kind of **policy** study that aims to **identify** the ratio of 1: A measure of ...

www.scribd.com/.../dictionary-of-information-science-and-technology-idea-group-2007 - [Cached](#) - [Similar](#)

y-vdma

Using the segmentation **rule**, the retrieved video includes both forward and The RFID device can immediately read an RFID **tag** data when the device Temporal video segmentation using unsupervised clustering and **semantic object** tracking. Media and **metadata** management for capture and **access** systems in ...

www.scribd.com/doc/13741005/yvdma - [Cached](#) - [Similar](#)

Institut für Architektur von Anwendungssystemen ...

In this paper we **identify** new MEPs and extend the template used to define MEPs to allow November 2007 Science Meets Business Am vierten **Tag** des Stuttgarter a repository for storing business processes and associated **metadata**. layer above the database scheme, called **semantic object** scheme.}, ...

www.informatik.uni-stuttgart.de/zdi/buecherei/.../bibtex.html - [Cached](#) - [Similar](#)

Science Links Japan | IEIC Technical Report (Institute of ...

Development of **Meta**-Stable information communication simulator. Energy Efficiency of History-Based **Tag**-Comparison Cache for Media Applications. ... Highly Reliabe Optical Devices for Optical **Access Network** using Plastic Molded The Search and Delivery Method using The **Metadata** for Regional Information. ...

sciencelinks.jp/j-east/journal/I/S0532B/2002.php - [Similar](#)

[PDF] A Demonstration on Service Compositions based on Natural Language ...

File Format: PDF/Adobe Acrobat

lambda notation variable to represent unforeseen **semantic object** that could or service description (e.g. using an XML **tag**) so as to convey the ceives, IA enforces **access** to services or construct service compositions, accordingly. Figure 74: A declaration on an **entry** in Recommended Service **Rule** ...

nordsecmob.tkk.fi/Thesisworks/masteroppgave__Suttik.pdf - [Similar](#)

by K Suttikuiphanich - [Related articles](#)

[PDF] System Architecture with XML

File Format: PDF/Adobe Acrobat

By combining the prefix with a **tag** name we have assigned only the **tag** <authors> to To enable public **access** to **metadata**, the relationships between **Semantic Object** Modeling (SOM) was developed by David Kroenke (1995) during the interaction (clicks or text **entry**) and other events. A business **rule** is ...

www.elib.hbl.ir/.../%5B1558607455%5DSystem%20Architecture%20with%20XML.pdf - [Similar](#)

Bibliography Retrieval Engine(Beta)

State diagrams are simple and easy but how to **identify** states?, It can be as short as a **tag** line or motto. They have many uses and many advantages. USER PROTOTYPING SOMA(**Semantic Object** Modeling Approach) ref in (badXML5): XML **metadata** is in the TD not the document so does not allow reflexion. ...

www.csci.csusb.edu/dick/bibfull.php?from=bib&search... - [Cached](#) - [Similar](#)

Text Version - Department of Computer Science and Engineering

Open BrowneMenon04 Glen J Browne & Nirup M Menon **Network** Effects & social dilemmas Open Chavez00 Tom Chavez A Decision-analytic Stopping **Rule** for It can be as short as a **tag** line or motto. They have many uses and many advantages. USER PROTOTYPING SOMA(**Semantic Object** Modeling Approach) ref in

www.csci.csusb.edu/dick/newbib.txt - [Similar](#)

[PDF] Proceedings of the Third International FAME User Conference

File Format: PDF/Adobe Acrobat

linked data **entry** windows will give users **access** to enter table items and row items. any economic time series as an identity or **semantic object** as shown in forward to a graphics application integrated with the data; to use **TAG** we had **Metadata** can be included to **identify** the data set (Data Set ...
https://fame.sungard.com/public_sector/...pdf/3rdProceedings.pdf - [Similar](#)

[PDF] Asset Management Data Warehousing Data Modelling

File Format: PDF/Adobe Acrobat

mining in a dispersed manufacturing **network**. Using OLAP and **rule**-based difficult to **identify** the current state of technological usage in asset **meta**-model for **metadata** [201]. As seen in Figure 6.3, the model contains the 12 **tags**, and if the relevant **tag** does not exist, a new one can be created. ...

eprints.qut.edu.au/19310/1/Avin_Mathew_Thesis.pdf - [Similar](#)

by A Mathew - [Related articles](#)

Science Reference - T

Translating role-based **access** control **policy** within context The bay area research wireless **access network** (barwan segmentation using unsupervised clustering and **semantic object** tracking **Tag**-free garbage collection for strongly typed programming languages Text **entry** using soft keyboards ...
<reference.kfupm.edu.sa/sitemap.aspx?stw=T> - [Similar](#)

[PDF] EMISA 2007

File Format: PDF/Adobe Acrobat

identify how our architecture may/will be affected by changes or new Price **Tag** Printing. System (Germany/. Munich) (1700). Price **Tag** Printing syntax to the repository internal representation with **metadata** is created, who should be allowed to **access** the PUA **network**.3 The input necessary to ...

<doc.utwente.nl/64399/1/EMISA-Proceedings.pdf> - [Similar](#)

by S Kurpiuwelt - [Cited by 11](#) - [Related articles](#) - [All 6 versions](#)

[PDF] 02-Computer Ctlg-09.PMD

File Format: PDF/Adobe Acrobat

mining techniques such as association **rule** mining, application development and provides APIs and **tag** and **Network Access** Protection. Services. Group. **Policy**. Auditing. Data **Entry** Procedures. Part V: Software Engineering model and **semantic object** model), multi-user DBMS ...

<www.phindia.com/Computer%20Ctlg-09.pdf> - [Similar](#)

[XLS] Glossary of OKDHS Terms and Acronyms

File Format: Microsoft Excel

Oracle is a member of a multivendor working group to **identify** and enable this standard. OKDHS interprets this APA definition to mean a **rule** is a statement that informs In a tagged value, the name is referred as the **tag** 3244, User **Metadata**, Data that allows users to understand and **access** data ...

www.okdhs.org/NR/rdonlyres/.../glossary_okdhs_03142007.xls - [Similar](#)

[PDF] WP5 Single Modality Processing State of the Art Report

File Format: PDF/Adobe Acrobat

tion algorithm using unsupervised clustering and **semantic object** The problem consists of a system being able to **identify** the instruments by texts semantically related to the image (e.g. textual captions or **metadata**). In In order to choose the most likely **tag**, part-of-speech tagging systems train ...

www-roc.inria.fr/media/.../WP5_SoA_RevisedVersion_sept05.pdf - [Similar](#)

by M Coutaud - [Related articles](#) - [All 3 versions](#)

Products of NCEAS Research | NCEAS

The **Network** News, a publication of the Long Term Ecological Research Genetic tagging to determine passive integrated transponder **tag** loss in lemon sharks. A **metadata**-driven framework for generating field data **entry** interfaces in ecology. **Meta**-information concepts for ecological data management. ...

<www.nceas.ucsb.edu/products> - [Cached](#) - [Similar](#)

List of Books starting with T

TAG: a Tiny AGgregation service for ad-hoc sensor networks segmentation using unsupervised clustering and **semantic object** tracking The bay area research wireless **access network** (barwan The declarative semantics of the Prolog selection **rule** Transparent **Network** Security **Policy** Enforcement ...

<ecatalog.dcc.edu.sa/T.html> - [Similar](#)

[PDF] 3 Workshop on Open Source Software Engineering

File Format: PDF/Adobe Acrobat

of their **metadata**—i.e., author, creation time, and the check- in comment. Identifying which APIs the developer is These release candidates are usually denoted with a -pre **tag** **identify** the information managed by an open source portal. no barrier to **entry** except use of an open source license, lots ...

<opensource.ucc.ie/icse2003/3rd-WS-on-OSS-Engineering.pdf> - [Similar](#)

null 2006 0- Not Old学术搜索

0, A Novel Multiple **Access** Protocol for Wireless Internet **Access Network** with 0, A **Network** Security **Policy** Model and Its Realization Mechanism. 0, Seeded **Semantic Object** Generation toward Content-Based Video Indexing. 0, Dynamic Programming Algorithms for Haplotype Block Partitioning and **Tag** ...

search.usic.edu.cn/notold/search_month.php?journal=null...0 - [Similar](#)

[Jian- Not Old学术搜索](#)

1591, Explorations in **tag** suggestion and query expansion. null 2666, A **Rule** Extraction Method Based on **Meta**-information. null · Jian Su Wenyong Weng, 2007 3653, MAC Performance Analysis on Two-stage HFC **Access Network**. 4453, Seeded **Semantic Object** Generation toward Content-Based Video Indexing. ...
[search.usc.edu.cn/notold/search_more_paper.php?q=Jian](#) · [Similar](#)

[Publications - Hyphen.info](#)

Edwards C, **Meta**-signalling for Open **Network** Control, 1999, Lancaster University Harnad SR, From robotic
toil to symbolic theft: grounding transfer from **entry**-level to Kazakov D. Learning Word Segmentation Rules for
Tag Prediction. Martin N, Automatic **semantic object** discovery and mapping from ...
[www.hyphen.info/rdi/hero/25_ra2_author.php](#) · [Similar](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 33 already displayed.
If you like, you can repeat the search with the omitted results included.*

+identify +meta tag +metadata +tag +entry +"semantic object"

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [A](#)